



## GENERAL SURGICAL INSTRUMENTS CAT ALOG

H.ALLAH DIN SURGICAL

Msn: [h.allahdinsurgical@hotmail.com](mailto:h.allahdinsurgical@hotmail.com) Yahoo: [h.allahdinsurgical@yahoo.com](mailto:h.allahdinsurgical@yahoo.com) Gmail: [allahdinsurgical@gmail.com](mailto:allahdinsurgical@gmail.com)  
Mob: +92 346 6622978 Tel: +92 52 4292844 : +92 332 8693522 Skype: h.allahdinsurgical

Website: [www.hasinstruments.com](http://www.hasinstruments.com) Email: [info@hasinstruments.com](mailto:info@hasinstruments.com)



STANDARD STRAIGHT



cm:	Blunt / Blunt	Sharp / Blunt	Sharp / Sharp
10,5	03-020-105	03-022-105	03-024-105
11,5	03-020-115	03-022-115	03-024-115
13,0	03-020-130	03-022-130	03-024-130
14,5	03-020-145	03-022-145	03-024-145
15,5	03-020-155	03-022-155	03-024-155
16,5	03-020-165	03-022-165	03-024-165
17,5	03-020-175	03-022-175	03-024-175
18,5	03-020-185	03-022-185	03-024-185
20,0	03-020-200	03-022-200	03-024-200



STANDARD CURVED



cm:	Blunt / Blunt	Sharp / Blunt	Sharp / Sharp
10,5	03-025-105	03-027-105	03-029-105
11,5	03-025-115	03-027-115	03-029-115
13,0	03-025-130	03-027-130	03-029-130
14,5	03-025-145	03-027-145	03-029-145
15,5	03-025-155	03-027-155	03-029-155
16,5	03-025-165	03-027-165	03-029-165
17,5	03-025-175	03-027-175	03-029-175
18,5	03-025-185	03-027-185	03-029-185
20,0	03-025-200	03-027-200	03-029-200



MAYO



cm:	Straight	Curved
14,5	03-040-145	03-041-145
15	03-040-150	03-041-150
17	03-040-170	03-041-170
23	03-040-230	03-041-230



MAYO -STILLE



cm:	Straight	Curved
15	03-044-150	03-045-150
17	03-044-170	03-045-170
19	03-044-190	03-045-190

SCISSORS Surgical Scissors



MAYO -NOBLE

cm:	Straight	Curved
17	308-176-170	308-177-170



STRABISMUS

cm:	Straight	Curved
11,5	03-336-115	03-337-115



METZENBAUM

cm:	Straight	Curved
11,5	411-244-110	411-245-110
14,5	03-070-145	03-071-145



METZENBAUM DELICATE

cm:	Straight	Curved
14,5	03-080-145	03-081-145




STEVENS

cm:	Straight / Sharp	Curved / Sharp
9	03-332-090	
11,5	03-330-115	03-331-115



STEVENS

cm:	Straight / Blunt	Curved / Blunt
9	03-335-090	
11,5	03-332-115	03-333-115



CUTTING EDGE = **A** to **B**

The stated cutting edge may differ slightly due to the fact that the instruments are hand made and some variation may occur.

**3**  
mm

Cutting Edge

VANNAS  
MINI

cm:	Straight	Curved
8	05-118-085	05-119-085



**4**  
mm

Cutting Edge

VANNAS

cm:	Straight	Curved	Angular	Angled up
8,5	05-220-085	05-223-085	05-225-085	05-227-085



SCISSORS Spring Scissors



**7**  
mm  
Cutting Edge

VANNAS  
MODEL TÜBINGEN



cm:	Straight	Curved	Angular	Angled up
8,5	05-230-085	05-231-085	05-233-085	05-235-085



**HQ**  
HIGH QUALITY  
SCISSORS

**2**  
mm  
Cutting Edge

VANNAS MICRO



cm:	Straight	Curved
8	15000-03	15000-04



**HQ**  
HIGH QUALITY  
SCISSORS

**3**  
mm  
Cutting Edge

VANNAS



cm:	Straight	Curved
8	15000-00	15000-10





**HQ**  
HIGH QUALITY  
SCISSORS

**5**  
mm  
Cutting Edge

MORIA  
EXTRA FINE

cm:	Straight	Curved
8	MORIA 9600	MORIA 9601



**HQ**  
HIGH QUALITY  
SCISSORS

**7**  
mm  
Cutting Edge

MORIA VANNAS  
WOLFF SPRING

cm:	Straight	Curved
10	MORIA MC52	MORIA MC50



**5**  
mm  
Cutting Edge

VANNAS

cm:	Straight	Curved
12	309-222-120	302-223-120
15	309-222-150	302-223-150





SCISSORS Spring Scissors



7  
mm  
Cutting Edge



7,5  
mm  
Cutting Edge

MICRO  
DISSECTION

cm:	Straight	Curved
9	05-036-090	05-037-090



9,5  
mm  
Cutting Edge



12,5  
mm  
Cutting Edge

WESTCOTT

cm:	Straight	Curved
11,5	309-102-110	309-103-110



**13,5**  
mm  
Cutting Edge



**12,5**  
mm  
Cutting Edge

NOYES

cm:	Straight	Angular
12	05-142-120	05-143-120



**10,5**  
mm  
Cutting Edge



**10**  
mm  
Cutting Edge



WESTCOTT

cm:	Curved / Sharp	Curved / Blunt
11	05-149-110	05-151-110

CASTROVIEJO

cm:	Curved / Sharp	Curved / Blunt
10	05-161-100	05-163-100



## Super Cut

The Super Cut scissors has a special design that delivers precise and accurate cuts, even through the toughest tissue. The Super Cut technique is made out of two unique blades, one with a micro serrated edge that holds the tissue and prevents slippage. The other blade has a razor sharp edge that provides the cutting. All Super Cut scissors are identified with their black handles.



IRIS SCISSORS

cm:	Straight	Curved
9	307-336-090	307-337-090
11	307-336-110	307-337-110



STEVENS



cm:	Straight / Blunt	Curved / Blunt
11	307-358-110	307-359-110



METZENBAUM



cm:	Straight	Curved
11,5	307-276-110	307-277-110
15	307-276-150	307-277-150



SURGICAL



cm:	Straight	Curved
14	307-106-140	307-107-140



MAYO



cm:	Straight	Curved
14,5	307-156-140	307-157-140
17	307-156-170	307-157-170



## Tungsten Carbide

When you require a high quality instrument, Tungsten Carbide adds several advantages to your instrument, whether there is a need for a hard and durable sharpness or you are looking for a long-lasting cost effective instrument. This special alloy hold the sharpness of the instrument several times longer compared to conventional instruments.

This feature, compared to the extra initial cost for a Tungsten Carbide instrument, will provide a cost

effective solution for your surgical instruments. The properties of this alloy have also benefited the special cross patterns that can be found on the needle holders, rendering a much more secure needle grip. Tungsten Carbide inserts are only applied (usually glued or welded ) to the working surface of the instrument which provide the right flexibility to the instruments but with a superior hardness where the action is.



IRIS SCISSORS

cm:	Straight	Curved
11,5	04-520-115	04-521-115

SCISSORS Special Scissors



METZENBAUM



cm:	Straight	Curved
11,5	411-932-110	411-933-110
14,5	04-320-145	04-325-145



SURGICAL STRAIGHT



cm:	Blunt / Blunt	Sharp / Blunt	Sharp / Sharp
14,5	04-120-145	04-122-145	04-124-145





**SURGICAL CURVED**

cm:	Blunt / Blunt	Sharp / Blunt	Sharp / Sharp
14,5	04-125-145	04-127-145	04-129-145



**MAYO**

cm:	Straight	Curved
14	04-220-140	04-225-140
17	04-220-170	04-225-170

SCISSORS Special Scissors



MAYO -STILLE

cm:	Straight	Curved
15	04-250-150	04-251-150
17	04-250-170	04-251-170



UNIVERSAL

cm:	Wire Scissors
12	04-721-120



## Ceramic Cut

The Ceramic Cut scissors are one of the best scissors available, using Super Cut <sup>1</sup> technology combined with Tungsten Carbide <sup>2</sup> inserts coated with ceramics. Since ceramic is one of the hardest materials on earth this coating provides an exceptional hard and smooth surface. This special treatment gives the scissors a high

resistance to corrosion and chemicals. The special matte black ceramic coating avoids any reflection and provides a low-friction cut which minimizes tissue damage. This is one of the best scissors available on the market; use your Ceramic Cut scissors for your most uncompromising work.



IRIS SCISSORS

cm:	Straight	Curved
11,5	03-320-115K	03-321-115K

SCISSORS Special Scissors



STEVENS

cm:	Straight / Blunt	Curved / Blunt
11	307-356-110K	307-357-110K



METZENBAUM

cm:	Straight	Curved
11,5	411-244-110K	411-245-110K
14,5	03-070-145K	03-071-145K



MAYO

cm:	Straight	Curved
14,5	03-040-145K	03-041-145K
17	03-040-170K	03-041-170K



SCISSORS Other Scissors

Excellent for cutting tail tips / PCR sampling



SPENCER

cm:	Straight	
9	03-720-090	
13	03-720-130	



KILLNER

cm:	Straight	
12,5	03-449-125	



FOX SAW EDGE



cm:	Straight		Curved	
13	03-412-130		03-417-130	



**BONE SCISSORS**

cm:	Straight	
19	54-120-190	
23	54-120-230	



**UNIVERSAL**

cm:	Wire Scissors	
12	03-741-120	



**BONE SCISSORS  
BEEBEE**



cm:	Straight / Sharp		Curved / Sharp	
10,5	03-744-105		03-745-105	



cm:	Straight / Blunt		Curved / Blunt	
10,5	03-748-105		03-749-105	





STANDARD

SLENDER

cm:	Straight	Curved	Straight
10,5	08-020-105	08-023-105	08-030-105
11,5	08-020-115	08-023-115	08-030-115
13	08-020-130	08-023-130	08-030-130
14,5	08-020-145	08-023-145	08-030-145
16	08-020-160	08-023-160	08-030-160
18	08-020-180	08-023-180	08-030-180
20	08-020-200	08-023-200	08-030-200
25	08-020-250	08-023-250	08-030-250
30	08-020-300	08-023-300	08-030-300



DELICATE

cm:	Straight	Curved	Straight with Pin
13	08-032-130	08-033-130	08-040-130
14,5	08-032-145	08-033-145	08-040-145

FORCEPS Dressing Forceps



MODEL USA

STILLE

cm:	Standard	Slender
12	08-050-120	08-056-120
13	08-050-130	08-056-130
14,5	08-050-145	08-056-145

cm:	
11,5	08-068-115
13	08-068-130
15	08-068-150



Cross-serrated



ADSON

MICRO-ADSON

cm:	Standard	Cross Serrated	Light Weight	Titan	Standard	Light Weight
12	08-060-120	08-060-121	08-060-120LW	11-060-120	08-062-120	08-062-120LW
15	08-060-150				08-062-150	



STANDARD

cm:	1x2	2x3	3x4	4x5
10,5	08-221-105	08-222-105		
11,5	08-221-115	08-222-115		
13	08-221-130	08-222-130	08-223-130	08-224-130
14,5	08-221-145	08-222-145	08-223-145	08-224-145
16	08-221-160	08-222-160	08-223-160	08-224-160
18	08-221-180	08-222-180		08-224-180
20	08-221-200	08-222-200	08-223-200	
25	08-221-250	08-222-250	08-223-250	08-224-250
30	08-221-300	08-222-300	08-223-300	



DELICATE

cm:	Straight 1 x 2	Straight with Pin 1 x 2	Curved with Pin 1 x 2
13	08-231-130	08-241-130	08-247-130
14,5	08-231-145	08-241-145	08-247-145

FORCEPS Tissue Forceps



Cross-serrated



TISSUE FORCEPS



ADSON

MICRO-ADSON

cm:	1x2		1x2		1x2	
	Standard	Standard	Light Weight	Titan	Standard	Light Weight
12	08-261-120	08-263-120	08-261-120LW	11-261-120	08-262-120	08-262-120LW
15	08-261-150				08-262-150	



ADSON-BROWN

MODEL USA

ADLERKREUTZ

cm:	Standard	Light Weight
12	08-267-120	08-267-120LW
15	08-267-150	

cm:	1x2
12	08-251-120
13	08-251-130
14,5	08-251-145

cm:	2x3	4x5
13		08-278-130
15	08-276-150	08-278-150
20	08-276-200	08-278-200



GRAEFE

cm:	tip, mm:	Straight	Curved	Strong Curved
7	0,5	08-510-005	08-513-005	08-517-005
7	1	08-510-010	08-513-010	08-517-010
10	0,3		08-515-003	08-519-003
10	0,5	08-512-005	08-515-005	08-519-005
10	1	08-420-100	08-421-100	08-423-100
12	1	08-512-120	08-515-120	08-519-120
13	1	08-512-130	08-515-130	08-519-130



Tissue-Forceps

GRAEFE

cm:	tip, mm:	Straight 1 x 2	Curved 1 x 2	Strong Curved 1 x 2
7	0,5	08-520-005	08-523-005	08-527-005
7	1	08-520-010	08-523-010	08-527-010
10	0,5	08-522-005	08-525-005	08-529-005
10	1	08-425-100	08-427-100	08-429-100

FORCEPS Iris Forceps



STEVENS

cm:	Straight	Light Curved	Strong Curved
10,5	08-530-105	08-531-105	08-533-105



Tissue-Forceps

STEVENS

cm:	Straight 1 x 2	Light Curved 1 x 2	Strong Curved 1 x 2
10,5	08-534-105	08-535-105	08-537-105



Tissue-Forceps

BISHOP-HARMON

cm:	1x2	
8,5	08-564-085	08-566-085



Tissue-Forceps

BISHOP-HARMON

cm:	Delicate	Delicate 1 x 2
8,5	08-568-085	08-570-085



FORCEPS Splinter Forceps



cm:	Smooth	Smooth	Serrated	Serrated
8	08-450-080	08-451-080	08-452-080	08-453-080
9	08-450-090	08-451-090	08-452-090	08-453-090
10,5	08-450-105	08-451-105	08-452-105	08-453-105
11,5	08-450-115	08-451-115	08-452-115	08-453-115
13,0	08-450-130	08-451-130	08-452-130	08-453-130
14,5	08-450-145	08-451-145	08-452-145	08-453-145



Smooth Tips



cm:	Smooth	Smooth	Self-Closing
10	08-438-100	08-439-100	08-440-100

Our Finest Teeth Forceps



Tissue-Forceps

MODEL-BONN

cm:	Straight 1 x 2
7	08-554-070







Tissue-Forceps

FUCHS

cm:	Straight 1 x 2
7	08-575-070



MORIA

cm:	Straight	Curved	Straight	Curved
11	MORIA MC40	MORIA MC40/B		
13			MORIA 9980	MORIA 9987

FORCEPS Other Forceps



JEWELLER'S-FORCEPS



cm:	No. 1	No. 4	No. 5	No. 7
11,0		08-960-004	08-960-005	
11,5				08-960-007
12,0	08-960-001			



CILIA

cm:	Smooth	Serrated
9	08-790-090	08-792-090



DOUGLAS

cm:	Slender	Wide
9	08-794-090	08-796-090



COVER GLASS FORCEPS

cm:	Self-Closing	Kühne
10	08-953-090	08-951-100



MERIAM

cm:	Serrated	Smooth
16	10-841-160	10-843-160



PERRY

cm:	Serrated	Smooth
13	10-853-130	10-855-130



RUSS. MODEL

cm:	
15	08-350-150
20	08-350-200
25	08-350-250



COLLIN-DUVAL

cm:			
20	08-360-014	08-360-018	08-360-027

### Rodent handling forceps

These long forceps can have a variety of usage, but are specifically designed for handling small rodents. The long handles ensures a safe working distance from the animal, one with replaceable rubber tip for maximum hold and minimizing animal discomfort and one in INOX for easy sterilization and versatility.



←	cm:		
	21	11035-20	

WANGENSTEEN

	cm:			→
	23	08-150-230		





### Vessel Cannulation Forceps

These fine Vessel Cannulation Forceps are designed specifically for insertion of small catheters into vessels. The hollow jaws ensure a secure insertion without damaging the fine tube. There are three different forceps depending on the desired O.D. of the tubing and length of forceps.



VESSEL CANNULATION

cm:	0,5–1,0 mm tube O.D.	0,35 mm tube O.D.
11,0	00574-11	00608-11
13,5	00571-13	



### Vessel Dilator

This special forceps has been highly modified for vessel dilation. The tips are designed to minimize damage to the vessel.



VESSEL DILATOR

cm:	
11	08-969-007



### Small blood vessel Cannulation System

This biocompatible micro cannula system with trocar is designed for fast and easy insertion in to small blood vessels. The tubing has a bulb for securing the tubing cannula to the vessel by tie-in with a thread. The cannula has a female luer hub for attachment to a syringe.

Cannula size 0,33 mm O.D. and 0,16 mm I.D.

VESSEL CANNULATION

cm:	
8	18000-10

# Retractors & Holding Instruments

Hemostatic Forceps

Retractors

Clamps & Clips





HARTMANN

cm:	Straight	Curved
10	13-020-100	13-021-100



MICRO - MOSQUITO

cm:	Straight	Curved	Straight	Curved
10	13-028-100	13-029-100	13-030-100	13-031-100
12	13-028-120	13-029-120	13-030-120	13-031-120


With Teeth 1x2





KELLY

cm:	Straight	Curved
14	13-078-140	13-079-140
16	13-082-160	13-083-160




PROVIDENCE HOSPITAL

cm:	Straight	Curved
14	13-072-140	13-073-140



CRILE


cm:	Straight	Curved
14	13-090-140	13-091-140





ROCHESTER  
PÉAN

cm:	Straight	Curved
13	13-200-130	13-201-130
14	13-200-140	13-201-140
16	13-200-160	13-201-160
18	13-200-180	13-201-180
20	13-200-200	13-201-200
22	13-200-220	13-201-220
24	13-200-240	13-201-240
26	13-200-260	13-201-260
30	13-200-300	13-201-300



BABY-MIXER

cm:	Curved
14	312-471-140



BACKHAUS

cm:	
8	17-251-080
11	17-251-110
13	17-251-130



ALM

cm:	Sharp	Blunt
7	25-020-070	25-024-070
10	25-020-100	25-024-100



JANSEN

cm:	Sharp	Blunt
10	25-040-100	25-042-100



WEITLANER

cm:	Sharp	Blunt	Sharp	Blunt
10,5	25-050-105	25-052-105		
13			25-060-130	25-062-130



WE SERVE THOSE WHO  
SERVE HUMANITY.....  
CEO.....  
**H.ALLAH DIN SURGICAL**



HOLTZHEIMER

cm:	Blunt
10	25-028-100




BARRAQUER COLIBRI

cm:	
3	42-020-030
4	42-020-040



GOLDSTEIN MINI

cm:	
2	342-133-020



GOLDSTEIN

cm:	
3	342-133-030



GRAEFE

cm:	Curved
6	42-038-060
9	42-038-090



PARK- GUYTON

cm:	Curved
8	42-056-080



PARK MAUMENÉE

cm:	Curved
8	42-058-080



CASTROVIEJO

cm:	Curved
8	42-087-080

Flexible neck



cm:	2 x Sharp	3 x Sharp	4 x Sharp
16	24-031-002	24-031-003	24-031-004



cm:	2 x Blunt	3 x Blunt	4 x Blunt
16	24-033-002	24-033-003	24-033-004



DIFFENBACH BULLDOG CLAMPS

cm:	Straight	Curved
3,5	13-320-035	13-321-035
5,0	13-320-050	13-321-050
6,0	13-320-060	13-321-060



Applying & Removing Forceps




VESSEL CLIPS



Art. No:	Length of jaw:	Width of jaw:	Locking pressure:
13-410-004	4 mm	0,75 mm	125 g
13-410-006	6 mm	1 mm	100 g
13-410-008	8 mm	2 mm	85 g
13-410-010	10 mm	2 mm	60 g

cm:	
14	13-414-140



**50g**  
Closing Force

**DIETHRICH**

cm:	Straight	Straight	Angled	Angled
5	13-450-008	13-450-012	13-451-008	13-451-012
	x=8 mm	x=12 mm	x=8 mm	x=12 mm



**BIEMER**

Art.No:	Length:	Length of Jaw:	Closing Force:	Opening:
64-562	18 mm	9,0 mm	20-25 g	5,0 mm



**MORIA  
VESSEL CLAMP**

Art.No:	Length:	Length of Jaw:	Closing Force:	Vessel Ø:	Wide:
MORIA 201/A	33 mm	13 mm	15 g	2 mm	1,8 mm



Finely serrated, atraumatic

**SCHWARTZ  
MICRO SERREFINE**



Art.No:	Length:	Description:
18052-01	26 mm	Strong pressure, non-serrated.
18052-02	26 mm	



APPLYING  
FORCEPS

cm:	With Lock:	Without Lock:
14	98 071	98 072



ACLAND CLAMPS

Description:		Angled	Straight	Approximator:	Approximator:	Double Clamp:
8 mm Vessel Ø: 0,4–1,0 mm	Vein	98 244	98 396	98 402	98 408	98 414
	Artery	98 196	98 397	98 403	98 409	98 415

11 mm Vessel Ø: 0,6–1,5 mm	Vein	98 245	98 398	98 404	98 410	98 416
	Artery	98 197	98 399	98 405	98 411	98 417

17 mm Vessel Ø: 1,0–2,25 mm	Vein	98 246	98 400	98 406	98 412	98 418
	Artery	98 198	98 401	98 407	98 413	98 419



# Cutting & Manipulators

Bone Cutters

Scalpels

Micro Knives

Hooks, Spatulas & Punches

Probes & Pins



FRIEDMAN

cm:	
14	31-321-140




1mm

Cup Width



FRIEDMAN DELICATE

cm:	Straight	Curved
14	31-346-140	31-347-140



CLEVELAND 4

cm:		
14	31-329-140	
17		31-329-170



LUER

cm:	
15	31-377-150



LITTAUER

cm:	
11,5	17-780-115
13	17-780-130
15	17-780-150



CLEVELAND 5



cm:		
15	31-727-150	
17		31-725-170



BÖHLER

cm:	Straight	Angled
15	31-730-150	31-731-150







NO. 3

NO. 3 L

NO. 7 K

NO. 7

NO. 4

NO. 4 L

For Blades Fig. 10-15			
02-030-030	02-030-031	02-030-071	02-030-070

For Blades Fig. 20-25	
02-036-040	02-036-041




Fig. 10



Fig. 11



Fig. 12



Fig. 15

For No: 3, 3L, 7K, 7			
02-040-010	02-040-011	02-040-012	02-040-015

Pkg of 100



Fig. 20




Fig. 21




Fig. 22



Fig. 23



Fig. 24



Fig. 25

For No. 4, 4L					
02-040-020	02-040-021	02-040-022	02-040-023	02-040-024	02-040-025

Pkg of 100

CUTTING & MANIPULATORS Scalpels



Fig. 10



Fig. 11



Fig. 12



Fig. 15

Disposable scalpels with plastic handles.			
02-050-010	02-050-011	02-050-012	02-050-015

Pkg of 10, individually sterilized



Fig. 20



Fig. 21



Fig. 22



Fig. 25

Disposable scalpels with plastic handles.			
02-050-020	02-050-021	02-050-022	02-050-025

Pkg of 10, individually sterilized







CASTROVIEJO

cm:	Ø 8 mm	Ø 10 mm
13	42-922-130	42-924-130



TROUTMAN  
CHRIS

cm:	Ø 5,5 mm
9	42-920-090



BREAKABLE

Art. No:
42-940-010

Pkg of 10



SINGLE EDGE

Art. No:
1080

Pkg of 10



ZIEGLER

cm:	3,5 mm*	5 mm*	6 mm*	7 mm *
11	02-329-110			
13		02-322-001	02-322-002	02-322-003

\* Cutting edge

	TOOK	BARKAN	PAUFIQUE	BARRAQUER	JACOBSON
cm:					
11			02-463-110		
12	02-358-120	02-380-120			
13				02-465-130	
15,5					24-523-155



5 mm Cutting Edge  
15° Cutting Angle

cm:	Very fine artery scalpel
13	72-1551



SEXTON

cm:			
17	02-532-001	02-532-002	02-532-003



cm:		Handle for changeable blades
9,5	10035-00	

Carbon Steel

CHANGEABLE BLADES

Cutting Edge:	Small Flat Blade	Large Flat Blade	Angled Blade	Curved Blade
1,5 mm	10035-05			
2,75 mm		10035-10		
10 mm			10035-15	10035-20

*WE SERVE THOSE WHO  
SERVE HUMANITY.....  
CEO.....  
H.ALLAH DIN SURGICAL*



FRAZIER

cm:	Sharp	Blunt
13	24-461-130	24-463-130
18	24-461-180	24-463-180




KILNER

cm:	
15	24-421-150



GILLIES

cm:		
18	24-425-001	24-425-002



CURETTES

cm:	Ø 0,5 mm	Ø 1,0 mm	Ø 1,5 mm	Ø 1,8 mm
13,5	42-370-005	42-370-010	42-370-015	42-370-018



CURETTES

cm:	Ø 2,0 mm	Ø 2,5 mm	Ø 3,5 mm	Ø 4,0 mm	Ø 4,5 mm
13,5	42-370-020	42-370-025	42-370-035	42-370-040	42-370-045

Hippocampal Dissecting Tool  
Both ends are malleable for adjustment of shape and angle.





HOLTH

cm:	Capsular Punch
9	29-125-090




KEYES PUNCHER

Art. No:	I.D. mm:
39-200-002	2
39-200-003	3
39-200-004	4
39-200-005	5
39-200-006	6
39-200-007	7
39-200-008	8



TISSUE PUNCH

Art. No:	O.D. mm:	I.D. mm:	Gauge:
18-035-35	0,80	0,35	21
18-035-50	1,00	0,50	19
18-035-80	1,45	0,80	17
18-035-01	1,80	1,00	15
18-035-02	3,00	2,00	11
18-035-03	4,00	3,00	8
18-035-05	6,00	5,00	4






MINUTIEN PINS


Ø mm:	Black Anodized	Stainless Steel
0,10		26002-10
0,15	26002-15	
0,20		26002-20

Stainless Steel, anti-magnetic,  
acid resistant. Sold separately.

MORIA nickel plated pin  
holder with jaw opening  
from 0 –1,0 mm diameter.



INSERT PINS



PIN HOLDER



cm:					
5	26007-01	26007-02	26007-03	26007-04	26007-05

cm:		
12	26016-12	





TROCAR

cm:	Ø 3,5 mm	O.D. / I.D.
9,5	KN-392	3,5 / 3,0 mm

For vaginal smears



cm:	Ø 2 mm
11,5	33-120-115



# Wound Closure

Needle Holders

Suture Clips

Silk & Needles



WOUND CLOSURE Needle Holders



DERF

cm:	Art. No:
12	19-112-120



Smooth Tips

WEBSTER

cm:	Art. No:
13	19-120-130



MAYO -HEGAR

cm:	Art. No:
14	19-170-140
16	19-170-160
18	19-170-180
20	19-170-200





Needle Holders with scissors

OLSEN-HEGAR

cm:		Art. No:		
11,5	19-280-115			
14		19-280-140		
16			19-280-160	
18				19-280-180



CRILE-MURRAY

cm:		Art. No:	
15		19-138-150	



LICHTENBERG

cm:		Art. No:	
17		19-326-170	



KALT

cm:		Art. No:	
13,5		19-520-135	

WOUND CLOSURE Needle Holders

*WE SERVE THOSE WHO  
SERVE HUMANITY.....*

*CEO.....*

*H.ALLAH DIN SURGICAL*



LANGENBECK

cm:	Art. No:		
16	19-292-160		
18		19-292-180	
20			19-292-200



MATHIEU

cm:	Art. No:		
14	19-300-140		
17		19-300-170	
20			19-300-200



MICRO CASTROVIEJO

cm:	Art. No:	Description:
9	19-840-090	Straight without catch
9	19-841-090	Curved without catch
9	19-850-090	Straight with catch
9	19-851-090	Curved with catch



CASTROVIEJO

cm:	Art. No:	Description:
14	19-820-140	Straight without catch
14	19-821-140	Curved without catch
14	19-824-140	Straight with catch
14	19-825-140	Curved with catch



## Tungsten Carbide

When you require a high quality instrument, Tungsten Carbide adds several advantages to your instrument, whether there is a need for a hard and durable sharpness or you are looking for a long-lasting cost effective instrument. This special alloy hold the sharpness of the instrument several times longer compared to conventional instruments.

This feature, compared to the extra initial cost for a Tungsten Carbide instrument, will provide a cost

effective solution for your surgical instruments. The properties of this alloy have also benefited the special cross patterns that can be found on the needle holders, rendering a much more secure needle grip. Tungsten Carbide inserts are only applied (usually glued or welded ) to the working surface of the instrument which provide the right flexibility to the instruments but with a superior hardness where the action is.



DERF

cm:	
12	20-116-125

HALSEY

cm:	
13	20-120-130

BABY- CRILE-WOOD

cm:	
15	20-160-150



MAYO-HEGAR

cm:	
14	20-220-140
16	20-220-160
18	20-220-180
20	20-220-200

Needle Holders with scissors



OLSEN-HEGAR

cm:				
12	20-380-120			
14		20-380-140		
16			20-380-160	
18				20-380-180



WOUND CLOSURE Needle Holders



LANGENBECK

cm:			
14	20-392-140		
16	20-392-160		
18		20-392-180	
20			20-392-200



MATHIEU

cm:			
14	20-420-140		
17		20-420-170	
20			20-420-200

Needle Holders WOUND CLOSURE



KALT

cm:	
13,5	20-620-135



MICRO CASTROVIEJO

cm:	
14	20-690-140



LICHTENBERG

cm:	
14	20-470-140
17	20-470-170



CASTROVIEJO

cm:	Straight	Curved
14	20-680-140	20-681-140

## Reflex

For fast suturing of mice, rats and other small rodents.

For 7 or 9 mm clips, both Applier and Remover.

Individual sterile packs of 20 clips.



AUTOCLIP REMOVER

Art. No:
205-1000

AUTOCLIP APPLIER

mm:	Art. No:
7	204-1000
9	202-1000

AUTOCLIPS

mm:	Art. No:
7	203-1000
9	201-1000

Pkg of 100

## EZ Clips

For all of you using the EZ-Clip/Autoclips System please know that we will continue to sell this system as well.

EZ CLIPS

Art. No:	Description:
59026	Remover
59043	Applier
59027	Autoclips, 9 mm*

\* Pkg of 1000



MICHEL



HEGENBARTH



WACHENFELDT



WACHENFELDT

cm:	Self-Closing		Self-Closing	
12	08-910-120			
12,5		08-920-125	08-922-125	08-924-125



Applier and Remover

MICHEL

cm:	Art. No:
12	17-730-120 <sup>1</sup>
12	17-730-120S <sup>2</sup>

<sup>1</sup> For 22-620-011, -012, -014  
<sup>2</sup> For 22-620-007


Michel Clips

mm:	Art. No:
7,5 x 1,75	22-620-007
11 x 2	22-620-011
12 x 3	22-620-012
14 x 3	22-620-014

Pkg of 1000


Needle types:

- ▲ For skin closure
- For soft and fragile tissue




- 22-121-010
- 22-121-020
- 22-121-030
- 22-121-040
- 22-121-050
- 22-121-060
- 22-121-070
- 22-121-080
- 22-121-090
- 22-121-110
- 22-121-111
- 22-121-112
- 22-121-113
- 22-121-114
- 22-121-115
- 22-121-116

B ▲  
  
 Spring Eye




- 22-125-010
- 22-125-020
- 22-125-030
- 22-125-040
- 22-125-050
- 22-125-060
- 22-125-070
- 22-125-080
- 22-125-090
- 22-125-110
- 22-125-111
- 22-125-112
- 22-125-113
- 22-125-114
- 22-125-115
- 22-125-116

G ▲  
  
 Spring Eye



- 22-134-010
- 22-134-020
- 22-134-030
- 22-134-040
- 22-134-050
- 22-134-060

KEITH ▲  
  
 Spring Eye



- 22-165-002
- 22-165-003
- 22-165-010
- 22-165-020
- 22-165-030

KALT ●  
  
 Plain Eye

WOUND CLOSURE Silk & Needles

22-175-003

22-175-010

22-175-020

22-175-030

22-175-040

22-175-050

22-175-060

22-175-070

22-175-080

Pb ●

Spring Eye

22-179-003

22-179-010

22-179-020

22-179-030

22-179-040

22-179-050

22-179-060

22-179-070

22-179-080

Pd ●

Spring Eye

Suture Instrument

KRONECKER

cm:	Art. No:
13	326-127-130


Suture Forceps

MODEL TÜBINGEN

cm:	Art. No:
10	08-720-100

OCHSNER

cm:	Art. No:
14	08-934-140



## Feeding Needles

Our animal Feeding Needles are designed to meet the needs of pharmacologists, toxicologists, pathologists and other biomedical researchers. These Feeding Needles are mostly used for dosing and oral feeding of laboratory animals, but the stainless steel needles can also be used for Intracardiac Perfusion procedures. Their unique ball design of the needle tip ensures insertion with minimal risk of puncturing vital organs.

The disposable Feeding Needles are delivered in sterile pouches with plastic luer hub and silicon tips. Two kinds are available; Malleable Metal and Teflon tubing. The malleable metal type can easily be formed to a desired angle or shape. The Teflon type is very flexible and ensures that no damage occurs during the insertion.





This Feeding Needle Guide has been produced based on experience and should be used as a guide only e.g. dosage volume, consistency and viscosity are not addressed.

Art. No:	Newborn Mice & Rats	15 –35 g	50 –150 g	>150 g
1036		•		
1037		•	•	
1038			•	•
1043				•
1044		•		
7900	•			
7901	•			
7920	•	•		
7902		•	•	
7904		•	•	
7905			•	•
7906				•
7907				•
7923				•
7909				•
7924				•
7913			•	
7914				•
7915			•	
7916				•
4202		•		
4204			•	•
4206				•
5200		•		
5202		•		
5204			•	•
5206				•
7204				•
7206				•





LABORATORY ACCESSORIES Feeding Needles




1044	1036	1038	1043	7900	7902	7907	7909	7913	7915
1037				7901	7904	7923	7924	7914	7916
				7920	7905				
					7906				

Art. No:	Gauge:	Length, mm:	Ball O.D. mm:
1044	18	30	1,75
1037	18	40	1,75
1036	21	40	1,75
1038	19	60	1,75
1043	14	80	2,00
7900	24	25	1,25
7901	22	25	1,25
7920	22	37	1,25
7902	20	37	2,25
7904	18	37	2,25
7905	18	50	2,25
7906	18	75	2,25
7907	18	75	3,00
7923	16	50	3,00
7909	14	75	4,00
7924	13	75	4,00
7913	18	50	2,25
7914	18	75	2,25
7915	16	50	3,00
7916	16	75	3,00

### Instrument Tray

– A much appreciated cost-effective instrument case.

Protect your delicate and valuable instruments in this instrument tray. This tray is a lightweight, stackable, inexpensive tray suitable for autoclaving as well as storing your instruments. The tray has a separate top and bottom that locks together, which with the silicone extrusions ensure a secure yet gentle environment to your instruments.



Picture showing  
250-1000

Art. No:	Size, cm:
250-3000	21,5 x 11,5 x 4
250-1000	21,5 x 22,0 x 4
250-4000	21,5 x 39,0 x 4



### Instrument Cup

– Designed to reduce damage to surgical instruments.

This instrument cup holder is designed to arrange the instruments in an open position. This cup replaces the glass and metal jars, and will render longer instrument life. Slip resistant bottom makes relocating the cup safe and easy. Small instruments can be suspended to the toothed edges, while long instruments will rest against the soft bottom and side. The wide opening prevents instruments from touching.

Art. No:
150-1000

### Stainless Steel Cases

These stainless steel instrument cases can be used to store instruments or various equipment and accessories. Inexpensive, reliable and useful for everyday practice in the laboratory.

Kidney Bowl



cm:	Art. No:
17	121001
20	121002
25	121003

Instrument Cases



cm:	Art. No:
12 x 8 x 4	157001
16 x10 x 3	157003
20 x10 x 5	157005
30 x 20 x 5	157016

cm:	Art. No:
23 x13 x 5	157601
31 x 21 x 6	157602

### Silicone Mat

– The perfect companion while operating.

This silicone mat is designed for safe placement of instruments. It is also used as base in Stainless Steel Cases (see above), cut into desired size. The mat comes with holes for draining, is autoclavable and measures 30 x 20 cm.



Art. No:
391-487-001



Thanks For Having Look On  
Our Catalog.... If you require  
any kind of information about  
us or about our products then  
please feel free to contact us at  
any time.

Msn: [h.allahdinsurgical@hotmail.com](mailto:h.allahdinsurgical@hotmail.com)  
Yahoo: [h.allahdinsurgical@yahoo.com](mailto:h.allahdinsurgical@yahoo.com)  
Gmail: [allahdinsurgical@gmail.com](mailto:allahdinsurgical@gmail.com)  
Skype: ahmed.ali4747 / h.allahdinsurgical  
Mob: +92 346 6622978  
Tel: +92 52 4292844

Website: [www.hasinstruments.com](http://www.hasinstruments.com) Email: [info@hasinstruments.com](mailto:info@hasinstruments.com)

Msn: [h.allahdinsurgical@hotmail.com](mailto:h.allahdinsurgical@hotmail.com) Yahoo: [h.allahdinsurgical@yahoo.com](mailto:h.allahdinsurgical@yahoo.com) Gmail: [allahdinsurgical@gmail.com](mailto:allahdinsurgical@gmail.com)  
Mob: +92 346 6622978 Tel: +92 52 4292844 : +92 332 8693522 Skype: ahmed.ali4747 / h.allahdinsurgical

ADDRESS: Jinnah Town, Chah Lalarian, Kotli Behram, Sialkot 51310, Pakistan.

CERTIFICATIONS : ISO 9001:2008 CERTIFIED / CE MARKED / SCCI / SIMAP

WE HAVE PRODUCTS RANGE OF UPTO 14000 DIFFERENT KINDS OF MEDICAL INSTRUMENTS INCLUDING SURGICAL, DENTAL, ORTHOPEDIC, VETERINARY & HOLLOWWARE INSTRUMENTS ETC. WE MANUFACTURE HIGH QUALITY INSTRUMENTS FROM HIGH GRADE OF STAINLESS STEEL. QUALITY IS EVERYTHING TO US. WE DON'T COMPROMISE ON QUALITY. FURTHERMORE, PLEASE CONTACT US FOR MORE DETAIL.

ALL RIGHTS RESERVED..... H.ALLAH DIN SURGICAL